SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

			Sindh Bank Ltd
1)		F THE ORGANIZATION / DEPTT.	Scheduled Bank
2)	PROVIN	CIAL / LOCAL GOVT./ OTHER	Renovation of Rashid Minhas Branch
3)	TITLE O	F CONTRACT	
4)	TENDER	RNUMBER	SNDB/COK/ADMIN/TD/1304/2023
5)	BRIEF D	ESCRIPTION OF CONTRACT	Renovation of Rashid Minhas Branch
6)	FORUM	THAT APPROVED THE SCHEME	Competent Authority
7)	TENDE	R ESTIMATED VALUE	
8)		EER'S ESTIMATE I works only)	Rs.1,474,250/- 30 days
9)	ESTIMA	TED COMPLETION PERIOD (AS P	PER CONTRACT)
		R OPENED ON (DATE & TIME)	29.03.2023 at 1100 Hrs
11)	NUMBE (Attach l	ER OF TENDER DOCUMENTS SOLI list of buyers)	D ²
,		ER OF BIDS RECEIVED	2
13)	NUMBE	ER OF BIDDERS PRESENT AT THE	
14)		ALUATION REPORT	18.03.2023
15) NAME	AND ADDRESS OF THE SUCCESS	A SOL
13		ACT AWARD PRICE	Rs.1,398,750/-
17) RANKI (i.e. 1 st ,	NG OF SUCCESSFUL BIDDER IN E 2 nd , 3 rd EVALUATION BID).	1. M/s. RR Associates 2. M/s. Ashraf Ali Builders
18	B) METHO	OD OF PROCUREMENT USED : - (7	
	a)	SINGLE STAGE – ONE ENVELOR	PE PROCEDURE Domestic/ Local
	b)	SINGLE STAGE – TWO ENVELO	
	c)	TWO STAGE BIDDING PROCED	URE
	d)	TWO STAGE – TWO ENVELOPE	BIDDING PROCEDURE
			ER METHOD OF PROCUREMENT WAS ADOPTED i.e.
		EMERGENCY, DIRECT CONTRACT	ING ETC. WITH BRIEF REASONS:

			С	Competent Authority
19) APPRO	OVING AUTHORITY FOR AWARD OF CONTR.	ACT _	
20) WHET	THER THE PROCUREMENT WAS INCLUDED I	N ANN	NUAL PROCUREMENT PLAN? Yes No
21) ADVE	RTISEMENT:		
			Yes	T00531-22-0034 09.05.2023
	i)	SPPRA Website (If yes, give date and SPPRA Identification No.)		
		(11 yes, give date and 51 to 1 definition 100)	No	
	ii)	News Papers (If yes, give names of newspapers and dates)	Yes	Notification 09.05.2023
		(1),1,5		
			No	
2:	2) NATU	TRE OF CONTRACT		Domestic/ Local Int.
2:	WAS	THER QUALIFICATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUMEN	ITS?	
	(If yes	s, enclose a copy)	A	Yes V No
2	WAS	THER BID EVALUATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUMEN s, enclose a copy)	TS?	Yes V No
2	5) WHE METI	THER APPROVAL OF COMPETENT AUTHORI HOD OTHER THAN OPEN COMPETITIVE BIDI	TY WA	AS OBTAINED FOR USING A Yes No
2	26) WAS	BID SECURITY OBTAINED FROM ALL THE E	BIDDE	RS? Yes V No
2	27) WHE BID /	THER THE SUCCESSFUL BID WAS LOWEST IN BEST EVALUATED BID (in case of Consultancia)	EVALU es)	UATED Yes No
:		THER THE SUCCESSFUL BIDDER WAS TECH	NICA	LLY Yes No
	29) WHE	ETHER NAMES OF THE BIDDERS AND THEIR TIME OF OPENING OF BIDS?	R QUO	OTED PRICES WERE READ OUT AT Yes No
	CON	ETHER EVALUATION REPORT GIVEN TO	BID	DERS BEFORE THE AWARD OF
	(Atta	ach copy of the bid evaluation report)		Yes No

31) ANY COMPLAINTS RECEIVED	V	
(If yes, result thereof)	Yes	
	No	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN T	гне т	ENDER NOTICE / DOCUMENTS
(If yes, give details)		
	Yes	
	No	No
	No	
33) WAS THE EXTENSION MADE IN RESPONSE TIME?		
(If yes, give reasons)	Yes	
	-	No
	No	IIIO
34) DEVIATION FROM QUALIFICATION CRITERIA		
(If yes, give detailed reasons.)	Yes	
		No
	No	140
35) WAS IT ASSURED BY THE PROCURING AGENCY	THAT	THE SELECTED FIRM IS NOT
BLACK LISTED?		Yes V No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL O	PHE	PROCURING AGENCY TO THE
SUPPLIER'S PREMISES IN CONNECTION WITH THE	PROC	CUREMENT? IF SO. DETAILS TO
BE ASCERTAINED REGARDING FINANCING OF VISI	T, IF A	BROAD:
(If yes, enclose a copy)		Yes No
		Tes No
37) WERE PROPER SAFEGUARDS PROVIDED ON MOE	II 17 A	TION ADVANCE PAYMENT IN
THE CONTRACT (BANK GUARANTEE ETC.)?	THE REAL PROPERTY.	
The contract (State Contract)		Yes No
38) SPECIAL CONDITIONS, IF ANY	Yes	
(If yes, give Brief Description)		
12/2		
/ Ansort	No	
(2)		
Signature & Official Stamp of		
Authorized Officer ARSHAD ABBAS SOOMRO	50	207
Administration & Security Administration Division		-23
Sindh Bank Limited Head Office Karachi		
FOR OFFICE USE ONLY		

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset



	Bld	Evaluation Report
	Renovation of Ras	hid Minhas Road Branch Karachi
1	Name of Procuring Agency	Sindh Bank Ltd.
2	Tender Reference No.	SNDB/COK/ADMIN/TD/1304/2023
3	Tender Description	Renovation of Rashid Minhas Road Branch Karachi
4	Method of Procurement	Single Stage One Envelope Bidding Procedure
5	Tender Published & SPPRA S. No.	T00531-22-0034. Notification (09/03/2023).
6	Total Bid Documents Sold	02
7	Total Bids Received	02
8	Technical / Financial Bid Opening Date & Time	29/03/2023 at 1100 Hrs.
9	No. of bids qualified	02
10	Bid(s) Rejected / Disqualified	00

Details on the above as given below:

S No.	Name of Firm or Bidder	Qualified / Disqualified in Technical / Eligibility Inspection/ Mandatory	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost (Rs.1,474,250/-)	Reasons for acceptance/ rejection	Remarks
	1	2	3	4	5	6	7
1.	M/s. R.R Associate	Qualified	Rs.1,398,750/-	1 st Lowest Bidder	Rs. 75,500/- Below the estimated cost	1# Lowest as Most Advantageous Bid	Accepted- Award of Contract
2.	M/s. Ashraf Ali Builders	Qualified	Rs.1,648,910/-	2 nd Lowest Bidder	Rs.174,660/- Above the estimated cost	2 nd Lowest Bidder	

Accordingly, going by the Technical/Financial Evaluation criteria laid down in the tender document, M/s.R.R Associate is the most advantageous bid i.e. Rs.1,398,750/- and is also below the estimated cost, hence recommended for Renovation of Rashid Minhar Road Branch Karachi of Sindh Bank Ltd.

Members Signature- Procurement Committee

Arshad Abbas Soomro Head of Administration

Dilshad Hussain Khan Chief Financial Officer

Syed Muhammad Ageel Chief Manager, IDBL Karachi

		Buyer Lisi	r Lis	·=			
	Renovation of Rashid Minhas Road Branch (Relocation) - 1304	id Minhas R	oad	Branc	n (Relocation)	- 1304	
S.NO	COMPANY NAME	TENDER FEE	PST	TOTAL	PAY ORDER NO	TENDER FEE PST TOTAL PAY ORDER NO NAME OF BANK	_
01	RR Associate	300	40	340	01148118	01148118 Sindh Bank Limited	
02	Ashraf Ali Builders	300	100	400	26916742	HBL	
	Grand Total				740/-		



INTEGRITY PACT

Contract Number: 1304	Dated: 23 05 223
Contract Value: Rs. 1, 398,755(-	
Contract Title: REVOTATA OF RASHIO MINHO	BRAVEY
Declaration of Fees, Commissions and Brokerage etc. Payal To Rule 89 Sindh Public Procurement Rules Act, 2010	
M/s. hereby declares that it has not obtained or interest, privilege or other obligation or benefit from Government or agency thereof or any other entity owned or controlled by it (Gos	s) through any corrupt business practice.
Without limiting the generality of the foregoing, M/s. declared the brokerage, commission, fees etc. paid or payable to an not give or agree to give to anyone within or outside Pakistan eith juridical person, including its affiliate, agent, associate, broker, sponsor or subsidiary, any commission, gratification, bribe, find consultation fee or otherwise, with the object of obtaining or in interest, privilege or other obligation or benefit in whatsoever expressly declared pursuant hereto.	nyone and not given or agreed to give and shall her directly or indirectly through any natural or consultant, director, promoter, shareholder, der's fee or kickback, whether described as inducing the procurement of a contract, right,
M/s certifies that it has made and will make full with all persons in respect of or related to the transaction with Gos any action to circumvent the above declaration, representation or responsibility and strict liability for making any false declaration, no or taking any action likely to defeat the purpose of this declaration any contract, right, interest, privilege or other obligation or ben without prejudice to any other right and remedies available to Gos u voidable at the option of Gos.	or warranty. M/s. accepts full of making full disclosure, misrepresenting facts on, representation and warranty. It agrees that nefit obtained or procured as aforesaid shall, under any law, contract or other instrument, be
Notwithstanding any rights and remedies exercised by Gos in the indemnify Gos for any loss or damage incurred by it on account of compensation to Gos in an amount equivalent to give the finder's fee or kickback given by , as aforesaid for grose of contract, right interest, privilege or other obligation or benefit in whether the state of the	its corrupt business practices and further pay sum of any commission, gratification, bribe, obtaining or inducing the procurement of any
For and On Rehalf of	For and On Behalf Of Sindh Bank Limited
Name: Name: Whister	Name: ARRA Sarra
o ten t tne pu	a pinsto c

3 SCOPE OF WORK

Sindh Bank Limited (SNDB) requires proposal from the Contractors for RENOVATION WORKS- RASHID MINHAS BRANCH(RELOCATION)



ATTENDANCE SHEET
BID OPENING -

(Relocation)

FOR SELECTION OF Removation of Roshed Winter Rand Branch

Date: 29-03-2-23

S.No	Company Name	Name of Company Representative	Contact No.	Company Address	Signature
øl	RR Associate	2			
a	Arshd Ali		15-4	Drop Bi	x /
	Bulters				
				*	

Signature -Procurement Co	mmittee Members
Head of Administration	- (Fried)
Chief Financial Officer	
Chief Manager (IDBL)	Ar
	V

MINUTES OF THE OPENING OF THE TENDER (TECHNICAL /FINANCIAL PHASE)

ADMIN / IT / CONSULTANT / MEDIA

TYPE OF PROCUREMENT

TENDER NAME	Renovation of Pais SINGLE STAGE-ONE ENVELOPE/SINGLE STAGE-TWO EN	hid Mirhas &	Local Rhyd
TYPE OF TENDER	SINGLE STAGE-ONE ENVELOPE / SINGLE STAGE-TWO EN	NVELOPE / TWO STAGE /TWO STAGE THEO PROPERTY	Relocation)
OPENING DATE	21/3/23	THE STAGE WE ENVE	OPE
OPENING TIME	1100 ths.		
ATTENDANCE (MEMBER PC)			
TEM			
184			
0.5	NAME	FIRM	BID OFFERED
ATTENDANCE (REPS. OF BIDDERS)			<u> </u>
511	ORR Associate	P	5. 1,398,750/-
	(2) Arshad Ali Bollater	s lo	. 1,648,910/-
¥0			7
•.*			
-12		7	
TOTAL BIDS ACCEPTED FOR EVALUAT	TION HOV		
OTAL BIDS REJECTED			
EMARKS			
		/	
	SIGNATURE MEMBER	SPC-ADMIN	
	Head - Fin Div.	9-3-7-3-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8	
	Head - Admin Div.	and)	
	Member-IDBL	1)	

Date:___



Renovation of Rashid Minhas Road Branch Evaluation Performa

Serial No: 01 Bidder Name: RR Associate

S. No.	Requisite	Total Points	Points Obtained	Point Criteria	Contractor Action (Documents to be enclosed)	
1	Status of Firm	20		Private Limited/ Partner Ship	Certificate of incorporation/ Partnership deed/NTN	
	Status of Fifth	10	10	Sole proprietorship		
		20	20	5 years and above	NTN Certificate / Letter of Incorporation / Company	
2	Years in business (Only dealing with financial institutions/Banks)	15		2 years and above	Registration Letter is required to be enclosed or Declaration	
		10		l years and above	of Commencement of Business with evidence is required to enclosed	
	Branches up till now	40	40	6 branches and above	Award letters to be attached uly issued from each financial institution's Admi	
3	constructed/ renovated for the Banks/Financial Institutions	30		4 branches and above	Department that the contractor has satisfactorily constructed the required number of branches for them. Complete Renovation work order will only be considered issued in last 15 years	
4	Average yearly turnover in last three years	20	20	l Million and above	Audited Financial Statements Report or Tax Return of last 3	
		10		0.5 Million and above	years	
	TOTAL POINTS	100	910	Qualified/	Disqualified	

Athar Iqbal Administration Division Fouzia Stramim Operations Division Hasan Raza Finance Division

Members Procurement Committee

- 1 HEAD OF ADMINISTRATION
- 2 CHIEF FINANCIAL OFFICER
- 3 CHIEF MANAGER, IDBL

Ciamatuus



Renovation of Rashid Minhas Road Branch Evaluation Performa

Serial No: 02 Bidder Name: Ayshal Ali Buil Lers.

S. No.	Requisite	Total Points	Points Obtained	Point Criteria	Contractor Action (Documents to be enclosed)	
1	Status of Firm	20		Private Limited/ Partner Ship	Certificate of incorporation/	
	States of 1 mm	10	10	Sole proprietorship	Partnership deed/NTN	
	Years in business (Only dealing with financial institutions/Banks)	20	20	5 years and above	NTN Certificate / Letter of Incorporation / Company	
2		15		2 years and above	Registration Letter is required to be enclosed or Declaration	
,		10		l years and above	of Commencement of Business with evidence is required to enclosed	
	Branches up till now	40		6 branches and above	Award letters to be attache duly issued from each financial institution's Admi	
3	constructed/ renovated for the Banks/Financial Institutions	30	30	4 branches and above	Department that the contractor has satisfactorily constructed the required number of branches for them. Complete Renovation work order will only be considered issued in last 15 years	
4	Average yearly turnover in last three years	20	20	I Million and above	Audited Financial Statements Report or Tax Return of last 3	
		10		0.5 Million and above	years	
	TOTAL POINTS	100	80	Qualified/	Disqualified	

Athar Iqbal Administration Division Fouzia Shamim Operations Division

Hasan Raza Finance Division

Members Procurement Committee

- 1 HEAD OF ADMINISTRATION
- 2 CHIEF FINANCIAL OFFICER
- 3 CHIEF MANAGER, IDBL

Signature

COMPARISON OF COST FOR RENOVATION OF RASHID MINHAS ROAD BRANCH KARACHI

		AMOUNT	AMOUNT
*	DESCRIPTION OF THE PROPERTY OF	RR. ASSOCIATE	ARSHAD ALI BUILDERS
<	CIVIL WORKS	238,500	674,750
ω.	ELECTRICAL WORKS	460,250	544,360
0	HVAC	115,000	110,000
٥	Shifting & Installation of Items from Existing Br to New premises	285,000	319,800
- 1.	TOTAL RENOVATION COST	1,398,750	SIGN, Head - Head - Member

TURE MEMBERS OC-ABMI in Div.


BILL OF QUANTITY
Renovation Works- Rashid Minhas Road Karachi

	· · · · · · · · · · · · · · · · · · ·	LINI	7	2	AN ASSOCIATE	ZUOUX		ANSHAD ALI BUILDENS
#5	DESCRIPTION	1	•	RATE	AMOUNT	RATE	H. FAM	AMOUNT
A	CIVIL WORKS							
-								
	Providing and carrying out termite proofing using FIPROKILL							
	BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50					Ì	-	
	gallons of water, sparing this solution @ 2 liters per sq. meter area							* 1
	(or liters per 10.76 sft. Area) with a pressure ensuring at least 3"			,				
	penetration in the soil of the area to be treated. The contractor will	SFT	800	15	12,000	200	• 6	40,000
	provide a guarantee for a period of ten years against infestation of					11		·- :
	termite in the shape and mode approved by the Engineer, stating that						: :	
	in case of infestation, additional treatment will by provided by the					1 2400	· Dept	7 :
	contractor at no extra cost to the Client (horizontal & Vertical).							
1	REINFORCED CEMENT CONCRETE (Vault Room as per					-	3	· Ki
7	1 avout Plan).						4	?:
1	Providing and laying, compacting finishing & curing etc. straight or					1	7	fr:
	curved cast- in place designed mix 1:2:4 Reinforced Cement				-	Y		X
	Concrete using 1 Part of Ordinary Portland Cement or equivalent, 2				-	\$		1
	Parts of silt free local sand and 4 Parts of 3/4" thick downgraded					2	· · ·	
	crushed stone; mixed in a manner to achieve a cube strength of					_		1.1/
	3000 psi in 28 days, including mixing, transporting, hoisting, lifting &					_	1:1	TAI
	placing at any height / depth, vibrating and curing etc. Complete in all					_		
	respect including cost of Steel Reinforcement (3/8" dia steel bars G-	CFT	100	1250	125,000	925		92,500
	60 @ 6" C/C both ways, staggered double jaal in a manner that the							
	atternate spacing b/w bars should not increase 3" C/C) & form work							
	for Cement Concrete including cutting, bending, laying in position,							
	making joint and fastening, removal of rust from bars, cost of binding							
	wire and labor charges for binding of steel reinforcement: also							
	includes cost of form work and its removal. Complete in all respects,							
	recognition of Conjection of Conjection							

1 of 3

5	The state of the s			RATE	AMOUNT	RATE	AMOUNT	
	Block / Brick Masonary works.							
,	sonary							
	joints with 1:4 cement sand mortar, the job includes 1wo 3/8 dia							
	steel bars of 2-0 length on boar sides of wall at every 2-5 it regimes anothering of masonry with the sides and Two 3/8 " dia bars of 2'-							
	o" length at every third block length for anchoring masonry walls to							
	plinth/floor beams, complete in all respect as per drawing,							
	specifications, to the satisfaction of Architect / bank's engineer.							
	4" thick Block Masonary internal walls (First class Machine made Blocks)	SFT	150	200	30,000	190	28,	28,500
4	Plaster Works.							
	Providing & laying 3/4" thick cement sand plaster (Internal / External)							
	with 1:4 cement sand mortar on walls, columns, beams, using best							
	quality O.P.C, including 6" inches wide mesh at joints of structure	-						
	with block masonary and over conduiting ,smooth trowel finish	SFI	00/	80	26,000	125	87,5	87,500
	complete in all respect. (This includes all the base plaster require for							
	making diagonal and alignment for the exisiting walls) as per							
	satisfaction of Architect / bank's engineer.							1
2	FALSE CELING							,
	Gypsum Board (24"X24")						Y	3
	Providing & laying 8 mm thick gypsum board False Ceiling, 24"					net:		
	niles or multiple profiles, as shown on drawing section, fixed with	SFT	650	140	91.000	155	100	00 750
	imported powder coated, with groove, aluminum, " T" & "L"						1	} i
	section with ceiling suspension system having provisions for light						1	1
	and AC grill. Complete in all respect as per drawing and					4	3	TA
	instruction of Bank's Engineer.					4	7	7
							8	37C-A
	630 6							11/1
	202						-	V


	→ 一		:	RATE	RATE AMOUNT		RATE AMOUNT
1.	Paint at Walls						
	White						
	Providing and applying, 2 coats of for water filling the second of the s						
	(3130) or BERGER or equivalent of approved colour and shade, at						
		140	1700	9	102 000	130	221 000
		_	3	3	00010	3	
	specifications, to surface of walls, complete in all respects as						
	specified and as approved by the bank's Engineer.						
1		SFT	150	650	005'26	510	26,500
		441	,	25000	25,000		000 80
8	Providing & installation of metal door at ATM cabin inside	300	-	20000	23,000		20,02
		1			000		22.420
	TOTAL CIVIL WORKS				538,500		074,750
				4			



Me de la constante de la const

3				RR. As	RR. Associate	Arshad /	Arshad Ali Bullders
S. No.	DESCRIPTION	UNIT	QIY	Rate	Amount	Rate	Amount
	INTERNALWIRING						
_	Supply, installation and commissioning of Light Circuit witing, from MCB in DB to Switch Board to be	Nos	4	5,500	22,000	0006	36,000
							.
101	Providing, Installation, testing and commissioning of wiring of Three light points controlled by one switch and wired with 3x1.5 mm sq. PVC	Nos.	12	4500	54,000	3300	39,600
6	Providing & wiring of 1-3 pin 15 Amps power socket outlets (for General Use) wired with 2x4mm2+1x2.5mm² CU/PVC	Nos.	3	0009	18,000	4300	12,900
1				:	'	:	
4	Providing & wiring of 1-3 pin 10 Amps power switch socket oudets (for RAW supply / WAPDA) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Z	4	2500	22,000	6300	25,200
1						-	•
0	Confirming to same specification as mentioned above in item A-08, but outlet to outlet wiring. Complete in all respect.	Nos.	4	4500	18,000	4300	17,200
S	Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UPS) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Nos.	. 4	2500	22,000	7250	29,000
	Confirming to same specification as mentioned above in item A-09, but loutlet to outlet wiring. Complete in all respect.	Z SS	4	4500	18,000	4960	19,840

ARSHAD ALI BUILDERS	AMOUNT		'		. !	87,000		18,0	W.	7	2000	 170,000
ARSHAD A	RATE	-				280		1	<	Y		
CIATE	MOUNT	1.		,		000,06		25,000		-		115,000



S.No.		LIND	OT?	Rate	Amount	Rate	Amount
9	Providing installing & wiring for Split A/C's unit from distribution board to respective 1-3 pin 16 Amps switch socket, wired with 2x6mm² + 1x4mm² 1 core CU/PVC cable	Nos.	4	11000	44,000	14630	58,520
	Sign Board Wiring as same as above	Nos	-	11000	11,000		-
-	Flat Panel LED OS-DL3-12W (round) of Osaka or equivalent 6" dia	Nos.	22	1950	48,750	2200	92,000
ļ∞	Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, louvers, all necessary fixing accessories,						
6	Exhaust Fan 12" dia	, S	2	2000	10,000	8000	16,000
9. T	TELEPHONE SYSTEM				1		
-	Providing & wiring of each Telephone socket outlet in preinstalled outlet boxes, wired with 4 Pair Car-6 (UTP)Cable, make 3M / PANDUIT USA in 25mm dia PVC conduit recessed in sibas, floors, walls, columns or on siba above false ceiling or as required as per site conditions, complete with all conduit & wiring accessories including RJ-45 IOs & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall.	Z,	7	8200	29,500	7300	51,100
12	OMPLITTER NET WORKING SYSTEM						
	Providing, laying & testing of Data Cable 4 Pair Cat -6, make 3M / PANDUIT USA in 25 mm dia PVC conduit including Data Outlet (3M make) Face plate (2port) w/o shuttet RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per darwing, and providing of Fluke Test Report & 3M's 20 Years Certificate (Complete as per Client's requirement)	Nos.	80	8500	000'89	12000	000'96
-=	Earthing Work	Job	-	45000	45,000		88,000
	Total - Electrical works		1		460,250	T	544,360

UTILIZATION OF EXISTING ITEMS(Removal & installation of items)

-	· · · · · · · · · · · · · · · · · · ·	Hall	ð	RR. As	sociate	RR. Associate Arshad All Builders	allders
	THE REPORT OF THE PARTY OF THE	1	3	Rate	Amount	Rate	Amount
	(Main I	No	8	19000	57,000	19,600	58,800
	Removal of glass & installation of BM cabin	Sft	120	400	48,000	375	45,000
	All wooden Furniture (Chairs Cleaning+tables+02 Cash	dob	-	35000	35,000		30,000
	All Steel Items (Vault Room Door 01, Safe+SS Card Trolley+Fire Almrah		-	80000	80,000		130,000
	a C cick	Job	-	16000	16,000		8,000
	IPS OB	Job	-	16000	16,000		15,000
1	IT Rack & Patch Panel	Job	-	15000	15,000		15,000
		gor	-	18000	18,000		18,000
					285,000		319,800
1 1			i				

And And

4 FINANCIAL PROPOSAL

PRICE SCHEDULE

(Applicable for the year 2023-24)

Name of Bidder RR Associate

ESTIMATE FOR RENOVATION WORKS- Rashid Minhas Road Karachi

		Area 900 sft
S#	DESCRIPTION	AMOUNT
A	CIVIL WORKS	538500 -
	ELECTRICAL WORKS	460250 -
С	HVAC	115000
D	Shifting & Installation of Items from Existing Br to New premises	285000.
	TOTAL RENOVATION COST	1398750

^{*}This amount will be considered as only the "Bid Offered". Whereas be apprised that the successful bidder will be the one whose "Evaluated Bid" is the lowest. (For further clarification refer Note 9. below)



Tender Document - RENOVATION WORKS-RASHID MINHAS BRANCH(RELOCKTION)

BILL OF QUANTITY

Renovation Works- Rashid Minhas Road Karachi

S#	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
A	CIVIL WORKS				
1	Termite Proofing				
	Providing and carrying out termite proofing using FIPROKILL/BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will by provided by the contractor at no extra cost to the Client (horizontal & Vertical).	SFT	800	15	12000
2	REINFORCED CEMENT CONCRETE (Vault Room as per Layout Plan).				
	Providing and laying, compacting finishing & curing etc. straight or curved cast- in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cement or equivalent, 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone; mixed in a manner to achieve a cube strength of 3000 psi in 28 days, including mixing, transporting, hoisting, lifting & placing at any height / depth, vibrating and curing etc. Complete in all respect including cost of Steel Reinforcement (3/8" dia steel bars G-60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing b/w bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement: also includes cost of form work and its removal. Complete in all respects, 6" thick walls, and column or as per direction of Engineer	CFT	100	1250	125000
3	Block / Brick Masonary works.	-	-		
	Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer.				
	4" thick Block Masonary internal walls (First class Machine made Blocks)	SFT	150	200	3000
4	Plaster Works.				

Just Just Just



Tender Document - RENOVATION WORKS-RASHID MINHAS BRANCH(RELOCATION)

	TOTAL CIVIL WORK	S			538500
0	Floviding a materialism of motal about at 71 m again motal				
8	Providing & installation of metal door at ATM cabin inside	Job	1	2500	25000
7	Providing and applying, 2 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by appling ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer. MS Grill at main entrance & Acs outer	SFT	1700	60	102000
6	Paint at Walls	-			
	Providing & laying 8 mm thick gypsum board False Ceiling, 24" x 24" Elephant Brand or approved equivalent in straight, curved, tiles or multiple profiles, as shown on drawing section, fixed with imported powder coated, with groove, aluminum, "T" & "L" section with ceiling suspension system having provisions for light and AC grill. Complete in all respect as per drawing and instruction of Bank's Engineer.	SFT	650	140	91000
	Gypsum Board (24"X24")				
5	using best quality O.P.C, including 6" inches wide mesh at joints of structure with block masonary and over conduiting ,smooth trowel finish complete in all respect. (This includes all the base plaster require for making diagonal and alignment for the exisiting walls) as per satisfaction of Architect / bank's engineer. FALSE CELING	SFT	700	80	56000
	Providing & laying 3/4" thick cement sand plaster (Internal / External) with 1:4 cement sand mortar on walls, columns, beams,				

Just ies



Tender Document - RENOVATION WORKS- RASHID MINHAS BRANCH(RELOCATION)

S.No.	DESCRIPTION	UNIT	QTY	Rate	Amount
A. IN	NTERNAL WIRING				
1	Supply, installation and commissioning of Light Circuit wiring, from MCB in DB to Switch Board to be	Nos.	4	5500	22000
2	Providing, Installation, testing and commissioning of wiring of Three light points controlled by one switch and wired with 3x1.5 mm sq. PVC	Nos.	12	4500	54,000
3	Providing & wiring of 1-3 pin 15 Amps power socket outlets (for General Use) wired with 2x4mm2+1x2.5mm ² CU/PVC	Nos.	3	6000	18000
4	Providing & wiring of 1-3 pin 10 Amps power switch socket outlets (for RAW supply / WAPDA) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Nos.	4	5500	22000
i)	Confirming to same specification as mentioned above in item A-08, but outlet to outlet wiring. Complete in all respect.	Nos.	4	4500	18000
5	Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UPS) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Nos.	4	5500	22000
i)	Confirming to same specification as mentioned above in item A-09, but outlet to outlet wiring. Complete in all respect.	Nos.	4		18000
6	Providing installing & wiring for Split A/C's unit from distribution board to respective 1-3 pin 16 Amps switch socket, wired with 2x6mm ² + 1x4mm ² 1 core CU/PVC cable	Nos.	4	11000	44000
	Sign Board Wiring as same as above	Nos.	1	11000	11000
7	Flat Panel LED OS-DL3-12W (round) of Osaka or equivalent 6" dia	Nos.	25	1950	48750
8	Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, louvers, all necessary fixing accessories,				
i)	Exhaust Fan 12" dia	Nos.	2	3000	10000





Tender Document - RENOVATION WORKS- RASHID MINHAS BRANCHEELOCATION)

i	Providing & wiring of each Telephone socket outlet in preinstalled outlet boxes, wired with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDUIT USA in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false ceiling or as required as per site conditions,, complete with all conduit & wiring accessories including RJ-45 IOs & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall.	Nos.	7_	8500	595a
10. CC	OMPUTER NET WORKING SYSTEM			-	
i	Providing, laying & testing of Data Cable 4 Pair Cat -6, make 3M / PANDUIT USA in 25 mm dia PVC conduit including Data Outlet (3M make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per darwing, and providing of Fluke Test Report & 3M's 20 Years Certificate (Complete as per Client's requirement)	Nos.	8	8500	68000
11	Earthing Work	lob	1	45000	4500
11				1	
	Total - Electrical works				440200





Tender Document - RENOVATION WORKS- RASHID MINHAS BRANCHINGLOCATION)

AIRCONDITIONING / HVAC WORKS :

S#	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
1	Installation of Split Air Conditioners (SAC) including USA copper piping upto 25 feet with installation & testing complete in all respects; including control wiring from outdoor unit to indoor with 2 x 1.5 mm.sq. + 1 x 1.5 mm.sq wire drawn in PVC 'D' class conduit clipped to wall or ceiling (wiring make Pakistan Cable, AGE or Pioneer). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex insulators.	i di			
	a) 1.0 Ton SAC	Nos			
	b) 1.5 Ton SAC	Nos	-		
	c) 2.0 Ton SAC	Nos	-		
2	Estimate additional copper piping with insulation for split units make(Muller) (charged as per final measurement on site). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex insulators with gray tape.	rft	150	600	90000
3	Provide & fix UPVC, 1-1/4" dia and 1" dia pipe, Beta or popular, for AC drain system, (medium) conforming to BSS 1307 of 1957, along with PVC fittings such as tees, elbows, unions, reducers, sockets, Teflon tape for jointing, hangers, supports, sleeves, including testing and commissioning and insulation with Aero flex insulation.	rft	100	250	1000
4	Providing and installing M.S angle iron brackets, treated with rust proof paint and enamel coating for external A/C's units fixed to the wall slab with Hilti bolts.	Set			
	O TOTAL HVAC WORL				115000

At



Tender Document - RENOVATION WORKS- RASHID MINHAS BE

UTILIZATION OF EXISTING ITEMS(Removal & installation of items)

S#	Items				
1	Glass Doors (Main Entrance, ATM Cabin) job includes new floor machines & glass partition	No	3	19000	57000
2	Removal of glass & installation of BM cabin	Sft	120	400	48000
2	All wooden Furniture (Chairs Cleaning+tables+02 Cash Counters)	Job	1	35m	35200
3	All Steel Items (Vault Room Door 01, Safe+SS Card Trolley+Fire Almrah		1	8000	80000
5	Main DB	Job	1	1600	16000
6	UPS DB	Job	1	1600	16000
7	IT Rack & Patch Panel	Job	1	15000	15000
8	Main Cable	Job	1	1800	18000

385000 V

1. The branch has to be handed over in 30 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.

2. The cost must include all applicable taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges.

3. No advance payment will be made; bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager & Project Manager.

4. Calculation of bid security, 2% of the *Total Amount will be submitted with the tender document as bid security.

5. In case it is reviled at any stage after the completion of work that the asked specification of the tender have not been met, the amount of that specific item will be fined to the contractor with appropriate action as deemed necessary by the procurement committee.

6. In case of any observation arising in respect of quality of the item, the company will be liable to address it at his own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment or cancellation of tender as will be decided by the Procurement Committee.

7. All terms and condition of Agreement (Annexure "G") are part of Tender Document.

8. In case financial bids are the same, the successful bidder will be the one who has acquired more marks in the technical evaluation.

9. Lowest evaluated bid is going to be the criteria for award of contract rather than considering the lowest offered bid, encompassing the lowest whole sum cost which the procuring agency has to pay for the services/items duration the contract period. SPPRA Rule 49 may please be referred. The successful bidder will be the one whose total sum of cost is the lowest. As it is package tender, so no partial lowest cost will be considered for award of any work.

10. Payment will be made as per the scheduled attached as Annexure "K".

11. The successful bidder has to deposit 2% retention money at the time of award of contract and 3% will be withheld at the time of final payment. The total 5% withheld amount on account of retention money/performance security will be released after 3 months of completion of tender assigned job and after due receipt of letter of satisfaction from concerned Branch Manager (performa attached as Annexure "H").

12. During final inspection, a performa (specimen attached as Annexure "H") will be filled by the representative of engineering department where he will award marks going by the quality of job executed in different categories. Any contractor awarded marks below 70 marks will

be issued with warning letter and will not be eligible to take part in any future tender.

13. Deviation from specs of Design Book will also be taken as penalty, where the contractor will be asked to provide the material or supplies as per the Book Specification. If the same is not followed within given time, the amount equivalent to the cost of the job will be deducted from the final payment of the contractor and the job will be performed by Bank's own resources, here contractor will also be liable of penalty of 5 marks in marking performa for each deviation committed.

14. The site inspection phase will be checked as per the performa attached as Annexure I.

Signature & Stamp of Bidder

4 FINANCIAL PROPOSAL

PRICE SCHEDULE

(Applicable for the year 2023-24)

Name of Bidder

Ashaf Al. Builder

ESTIMATE FOR RENOVATION WORKS- Rashid Minhas Road Karachi

Area 900 sft DESCRIPTION **AMOUNT** 674,750/-**CIVIL WORKS** B **ELECTRICAL WORKS** 110,000/-C **HVAC** 319,800/-Shifting & Installation of Items from Existing Br to New premises D 1,648,910 TOTAL RENOVATION COST......

ASHRAF ALLBUILDERS

Sole Proprietor

^{*}This amount will be considered as only the "Bid Offered". Whereas be apprised that the successful bidder will be the one whose "Evaluated Bid" is the lowest. (For further clarification refer Note 9. below)

BILL OF QUANTITY

Renovation Works- Rashid Minhas Road Karachi

A CIVIL WORKS 1 Termite Proofing Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 37 penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will by provided by the contractor at no extra cost to the Client (horizontal & Vertical). 2 REINFORCED CEMENT CONCRETE (Vault Room as per Layout Plan). Providing and laying, compacting finishing & curing etc. straight or curved cast- in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cement or equivalent, 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone; mixed in a manner to achieve a cube strength of 3000 psi in 28 days, including mixing, transporting, hoisting, lifting & placing at any height / depth, vibrating and curing etc. Complete in all respect including cost of Steel Reinforcement (3/8" dia steel bars G-60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing blw bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement: also includes cost of form work and its removal. Complete in all respects, 6" thick walls, and column or as per direction of Engineer 3 Block / Brick Masonary works. Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia bars of 2:0" length on both sides of wall at every 3:-0" ft height for anchoring masonry walls to pinitryllfoor beams, complete in all respect as per drawing, speci	S#	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sit. Area) with a pressure ensuring at least 37 penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will by provided by the contractor at no extra cost to the Client (horizontal & Vertical). Providing and laying, compacting finishing & curing etc. straight or curved cast- in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cement or equivalent, 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone; mixed in a manner to achieve a cube strength of 3000 psi in 28 days, including mixing, transporting, hoisting, lifting & placing at any height / depth, vibrating and curing etc. Complete in all respect including cost of Stele Reinforcement (3/8" dia steel bars G-60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing b/w bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement: also includes cost of form work and its removal. Complete in all respects, 6" thick walls, and column or as per direction of Engineer Block / Brick Masonary works. Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2-0" length on both sides of wall at every 3'-0" ftheight for anchoring masonry walls to plinth/floor beams, complete in all respects as per drawing, specifications, to the satisfaction of Architect / bank's engineer. 4" thick Block Masonary interna	Α	CIVIL WORKS				
BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sh. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will by provided by the contractor at no extra cost to the Client (horizontal & Vertical). 2 REINFORCED CEMENT CONCRETE (Vault Room as per Layout Plan). Providing and laying, compacting finishing & curing etc. straight or curved cast- in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cement or equivalent, 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone; mixed in a manner to achieve a cube strength of 3000 psi in 28 days, including mixing, transporting, hoisting, lifting & placing at any height / depth, vibrating and curing etc. Complete in all respect including cost of Steel Reinforcement (3/8" dia steel bars G-60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing bw bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement: also includes cost of form work and its removal. Complete in all respects, 6" thick walls, and column or as per direction of Engineer 3 Block / Brick Masonary works. Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2-0" length on both sides of wall at every 3-0" ft height for anchoring masonry walls to plinth/floro beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer. 4" thick Block Masonary intern	1	Termite Proofing				
Providing and laying, compacting finishing & curing etc. straight or curved cast- in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cement or equivalent, 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone; mixed in a manner to achieve a cube strength of 3000 psi in 28 days, including mixing, transporting, hoisting, lifting & placing at any height / depth, vibrating and curing etc. Complete in all respect including cost of Steel Reinforcement (3/8" dia steel bars G-60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing b/w bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement: also includes cost of form work and its removal. Complete in all respects, 6" thick walls, and column or as per direction of Engineer 3 Block / Brick Masonary works. Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2:-0" length on both sides of wall at every 3'-0" ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer.		BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will by provided by the contractor at no extra cost to	SFT	800	50	40,000)
or curved cast- in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cement or equivalent, 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone; mixed in a manner to achieve a cube strength of 3000 psi in 28 days, including mixing, transporting, hoisting, lifting & placing at any height / depth, vibrating and curing etc. Complete in all respect including cost of Steel Reinforcement (3/8" dia steel bars G-60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing b/w bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement: also includes cost of form work and its removal. Complete in all respects, 6" thick walls, and column or as per direction of Engineer 3 Block / Brick Masonary works. Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0" ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer. 4" thick Block Masonary internal walls (First class Machine made	2					
Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer.		or curved cast- in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cement or equivalent, 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone; mixed in a manner to achieve a cube strength of 3000 psi in 28 days, including mixing, transporting, hoisting, lifting & placing at any height / depth, vibrating and curing etc. Complete in all respect including cost of Steel Reinforcement (3/8" dia steel bars G-60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing b/w bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement: also includes cost of form work and its removal. Complete in all respects, 6" thick walls, and column or as per direction of	CFT	100	925	92,500
of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer.	3	Block / Brick Masonary works.				
4" thick Block Masonary internal walls (First class Machine made SET 150		of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect /			190	28,50v
		4" thick Block Masonary internal walls (First class Machine made	SFT	150	2030	
Blocks) 4 Plaster Works. ASHRAF ALI BUIL DERS Sole Proprietor 23	4	Plaster Works.	1016	HIBU	Theyo	

Tender Document - RENOVATION WORKS- RASHID MINHAS BRANCH(RELOCATION)

			0	/	1
	Providing & laying ³ / ₄ " thick cement sand plaster (Internal / External) with 1:4 cement sand mortar on walls, columns, beams, using best quality O.P.C, including 6" inches wide mesh at joints of structure with block masonary and over conduiting ,smooth trowel finish complete in all respect. (This includes all the base plaster require for making diagonal and alignment for the exisiting walls) as per satisfaction of Architect / bank's engineer.	SFT	700	125	87,500
5	FALSE CELING				
	Gypsum Board (24"X24")				
	Providing & laying 8 mm thick gypsum board False Ceiling, 24" x 24" Elephant Brand or approved equivalent in straight, curved, tiles or multiple profiles, as shown on drawing section, fixed with imported powder coated, with groove, aluminum, "T" & "L" section with ceiling suspension system having provisions for light and AC grill. Complete in all respect as per drawing and instruction of Bank's Engineer.	SFT	650	15 5	100150
6	Paint at Walls				
	Providing and applying, 2 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by appling ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer.	SFT	1700	130	22100
7	MS Grill at main entrance & Acs outer	SFT	150	510	76,500
8	Providing & installation of metal door at ATM cabin inside	Job	1		28,000
	TOTAL CIVIL WORK	S			614.780

ASHRAF ALI BUILDERS

Tender Document - RENOVATION WORKS- RASHID MINHAS TONYHIRELOCATION)

S.No.	DESCRIPTION	UNIT	QTY	Rate	Amount
A. IN	TERNAL WIRING				Tamount
1	Supply, installation and commissioning of Light Circuit wiring, from MCB in DB to Switch Board to be	Nos.	4	9000	36000
2	Providing, Installation, testing and commissioning of wiring of Three light points controlled by one switch and wired with 3x1.5 mm sq. PVC	Nos.	12	3306	39600
3	Providing & wiring of 1-3 pin 15 Amps power socket outlets (for General Use) wired with 2x4mm2+1x2.5mm ² CU/PVC	Nos.	3	4306	12,900
4	Providing & wiring of 1-3 pin 10 Amps power switch socket outlets (for RAW supply / WAPDA) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Nos.	4	6 300	25,200
i)	Confirming to same specification as mentioned above in item A-08, but outlet to outlet wiring. Complete in all respect.	Nos.	4	4300	17,200
5	Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UPS) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Nos.	4	7250	29,000
i)	Confirming to same specification as mentioned above in item A-09, but outlet to outlet wiring. Complete in all respect.	Nos.	4	4960	19,840
6	Providing installing & wiring for Split A/C's unit from distribution board to respective 1-3 pin 16 Amps switch socket, wired with 2x6mm ² + 1x4mm ² 1 core CU/PVC cable	Nos.	4	14630	58,520
	Sign Board Wiring as same as above	Nos.	1		
7	Flat Panel LED OS-DL3-12W (round) of Osaka or equivalent 6" dia	Nos.	25	2200	55,000
8	Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, louvers, all necessary fixing accessories,				
i)	Exhaust Fan 12" dia	Nos.	2	8000	16000
_				FALIBUL	CRS
9. TI	ELEPHONE SYSTEM			MIBUK	

Tender Document - RENOVATION WORKS- RASHID MINHAS BRANCH(RELOCATION)

				Ker	2/1
i	Providing & wiring of each Telephone socket outlet in preinstalled outlet boxes, wired with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDUIT USA in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false ceiling or as required as per site conditions,, complete with all conduit & wiring accessories including RJ-45 IOs & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall.				
		Nos.	_ 7	7,300	51,100
10.	COMPUTER NET WORKING SYSTEM			-	
	Providing, laying & testing of Data Cable 4 Pair Cat -6, make 3M / PANDUIT USA in 25 mm dia PVC conduit including Data Outlet (3M make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per darwing. and providing of Fluke Test Report & 3M's 20 Years Certificate (Complete as per Client's requirement)				
i		Nos.	8	12000	96,000/-
11	Earthing Work	Job	1		88,000/-
	Total - Electrical works				544.2/

26

Tender Document - RENOVATION WORKS- RASHID MINHAS BRANCH(RELOCATION)

AIRCONDITIONING / HVAC WORKS:

S#	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
1	Installation of Split Air Conditioners (SAC) including USA copper piping upto 25 feet with installation & testing complete in all respects; including control wiring from outdoor unit to indoor with 2 x 1.5 mm.sq. + 1 x 1.5 mm.sq wire drawn in PVC 'D' class conduit clipped to wall or ceiling (wiring make Pakistan Cable, AGE or Pioneer). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex insulators.				
	a) 1.0 Ton SAC	Nos	-		
	b) 1.5 Ton SAC	Nos			
	c) 2.0 Ton SAC	Nos	-		
2	Estimate additional copper piping with insulation for split units make(Muller) (charged as per final measurement on site). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex insulators with gray tape.	rft	150	580	81,000
3	Provide & fix UPVC, 1-1/4" dia and 1" dia pipe, Beta or popular, for AC drain system, (medium) conforming to BSS 1307 of 1957, along with PVC fittings such as tees, elbows, unions, reducers, sockets, Teflon tape for jointing, hangers, supports, sleeves, including testing and commissioning and insulation with Aero flex insulation.	rft	100	180	18,000/
4	Providing and installing M.S angle iron brackets, treated with rust proof paint and enamel coating for external A/C's units fixed to the wall slab with Hilti bolts.	Set			5,000
	TOTAL HVAC WORK	S			110,000

SHRAF ALI BUILDERS

UTILIZATION OF EXISTING ITEMS(Removal & installation of items)

S#	发展的一种工作。 Thems			T	
1	Glass Doors (Main Entrance, ATM Cabin) job includes new floor machines & glass partition	No	3	19,600	58,80c
2	Removal of glass & installation of BM cabin	Sft	120	375	58,800 45,000
2	All wooden Furniture (Chairs Cleaning+tables+02 Cash Counters)	Job	1		30,000
3	All Steel Items (Vault Room Door 01, Safe+SS Card Trolley+Fire Almrah		1		130,000
5	Main DB	Job	1		8000
6	UPS DB	Job	1		15000
7	IT Rack & Patch Panel	Job	1		15000
8	Main Cable	Job	1		18000


319,800/-

Note

- The branch has to be handed over in 30 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
- The cost must include all applicable taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges.
- No advance payment will be made; bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager & Project Manager.
- 4. Calculation of bid security. 2% of the *Total Amount will be submitted with the tender document as bid security.
- In case it is reviled at any stage after the completion of work that the asked specification of the tender have not been met, the amount of that
 specific item will be fined to the contractor with appropriate action as deemed necessary by the procurement committee.
- In case of any observation arising in respect of quality of the item, the company will be liable to address it at his own cost, non-compliance
 of the same will result into initiation of a case against the company for non-commitment or cancellation of tender as will be decided by the
 Procurement Committee.
- 7. All terms and condition of Agreement (Annexure "G") are part of Tender Document.
- 8. In case financial bids are the same, the successful bidder will be the one who has acquired more marks in the technical evaluation.
- 9. Lowest evaluated bid is going to be the criteria for award of contract rather than considering the lowest offered bid, encompassing the lowest whole sum cost which the procuring agency has to pay for the services/items duration the contract period. SPPRA Rule 49 may please be referred. The successful bidder will be the one whose total sum of cost is the lowest. As it is package tender, so no partial lowest cost will be considered for award of any work.
- 10. Payment will be made as per the scheduled attached as Annexure "K".
- 11. The successful bidder has to deposit 2% retention money at the time of award of contract and 3% will be withheld at the time of final payment. The total 5% withheld amount on account of retention money/performance security will be released after 3 months of completion of tender assigned job and after due receipt of letter of satisfaction from concerned Branch Manager (performa attached as Annexure "H").
- 12. During final inspection, a performa (specimen attached as Annexure "H") will be filled by the representative of engineering department where he will award marks going by the quality of job executed in different categories. Any contractor awarded marks below 70 marks will be issued with warning letter and will not be eligible to take part in any future tender.
- 13. Deviation from specs of Design Book will also be taken as penalty, where the contractor will be asked to provide the material or supplies as per the Book Specification. If the same is not followed within given time, the amount equivalent to the cost of the job will be deducted from the final payment of the contractor and the job will be performed by Bank's own resources, here contractor will also be liable of penalty of 5 marks in marking performa for each deviation committed.

14. The site inspection phase will be checked as per the performa attached a harver !

Signature & Stamp of Bidder _______Sole Propries



SND-0369-13252931337

GoS-KHI-17832CBEACC9FFFC

Non-Judicial

Rs 4,896/-

Description

: Contract - 15(a)

Principal

: SINDH BANK LIMITED [00000000]

Contractor Applicant : RR ASSOCIATES [00000000] : NAVEED KHURSHEED [42201-0772135-3]

Stamp Duty Paid by

: RR ASSOCIATES [00000000]

Issue Date

: 18-May-2023, 03:14:15 PM

Paid Through Challan

: 20233C8B182BCE5F

Amount in Words

: Four Thousand Eight Hundred and Ninety Six Rupees Only

Please Write Below This Line ---

Agreement for Renovation, Interior and Electrical work for Rashid Minhas Road Branch Karachi of
Sindh Bank Ltd

THIS AGREEMENT is entered into at Karachi on this the 23 day of 77, 2023

BETWEEN

M/S. R.R Associates, a sole proprietorship, having its principal place of business at Plot No.18-C, Mezzanine Floor, Stadium Lane-3, Phase -V, DHA, Karachi (hereinafter referred to as "Contractor", which expression shall be deemed to mean and include its successors-in-interest and assigns) of the First Part;

AND

SINDH BANK LIMITED, a banking company incorporated under the laws of Pakistan and having its Head office at 3rd Floor, Federation House, Abdullah Shah Ghazi Road, Clifton, Karachi-75600, Pakistan. (Hereinafter referred to as "THE BANK", which expression shall be deemed to mean and include its successors-in-interest and assigns) of the Second Part.





AO IBRAHI



WHEREAS:

"THE BANK" intends to acquire the services of "Contractor" for Renovation, Interior and Electrical Work, for its <u>Rashid Minhas Road Branch Karachi</u> and Contractor agrees to provide the following services to the bank, as per the tender opened on <u>29/03/2023</u>

Renovation, Interior and Electrical work as per detailed BOQ submitted to the Bank.
 Total Price as per Financial / Technical Proposal
 Submitted by M/s. R.R Associates: Rs.1,398,750/- as Annexure "A".

The terms and conditions are as follows:

Terms & Conditions:

All terms and conditions of the tender document will remain part of this agreement.

Change / alteration in the original Plan:

 Any change/alteration in the original plan, if required, due to site hindrance or any other reason shall be made after written approval of the Bank. Electricity & Water for renovation activities will be provided free of charge to the Contractor, by the Bank.

Payment Schedule:

The payment will be made given as per following schedule:

S.No	Payment Stages	Payment in terms of percentage	Job to be Completed	Verified By
RIVERNMEN PART TO THE PART TO	1 st Running Payment	On completion of 50% job.	Brick Works Plaster Strong Room/RCC work	Admin/Area Manager
POMENTON RNMENTON RNMENTON RNMENTON	40%	On completion	Light/Copper Pipe/Networking/Telephone Wiring	AER CESINGHISC SERVICES RIMENTOFSINDHSOVERNMI MENTOFSINDHSOVERNMI MENTOFSINDHSOVERNMI MENTOFSINDHSOVERNMI MENTOFSINDHSOVERNMENT
2	Payment 40%	of 90% job.	Glass Work, Kitchen, Store Cabinet Repairing	Admin/Area Manager
	SINDHGU VERNMEN. OFSINDHGOVERNMEN SINDHGOVERNMEN OFSINDHGOVERNMEN.		Front Tiles Ramp Paint 1 st Coat	MENTLESINDHIGOVERNM RNMENTOFSINDHIGOVERNM MENTOFSINDHIGOVERNMENTOF
PARTIES OF THE PARTIE	Final Payment 17%	On completion of 100% job.	Shifting of Furniture, Paint, ATM PVC, Cladding	Engineer Visit/Branch Completion Certificate
VERNMEN OF THE STATE OF THE STA	5% Retention Money (2% Performance Security + 3% Retention Money)	On satisfactory completion for three month period, after actual completion of work	After satisfactory completion of 3 months from actual completion.	Branch/Management





The contractor has to deposit 2% retention money at the time of award of contract and 3% will be withheld at the time of final payment. The total 5% withheld amount on account of retention money / performance security will be released after 3 month of completion of tender assigned job and after due receipt of letter of satisfaction from concerned branch manager. Final Bill will be made on actual verified quantities.

Period of Contract:

- Date of Handing over site

- Branch Completion date:



Commencement of Work:

- The job will be commenced from the date of acceptance of Award/Letter by the Contractor.

Penalty:

- The completion period of the awarded work will be 30 days from the date of handing over the site.
- In case of delay in completion, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
- The rates quoted by the Contractor will include all works, necessary for establishment of Bank Branch, complete in all respect strictly in accordance with our specifications given in design book. In case of any deviation in design/specification, without written permission of Bank's Engineer, the payment of such item will not be paid and the contractor will be liable to replace the objected item as per the design book at his own cost.

Notice:

- Any notice, request or consent required or permitted to be given or made pursuant to this agreement shall be in writing. Any such notice, request or consent shall be deemed to have been given or made when delivered in person to an authorized representative of the Party to whom the communication is addressed, or when sent to such Party at the given address.
- A party may change its address for notice by giving a notice to the other Party in writing of such change.

Authorized Representative:

- Any action required or permitted to be taken, and any document required or permitted to be executed under this agreement by the Bank or the Contractor may be taken or executed by the officials.

Taxes and Duties:

The Contractor and its Personnel shall pay such direct or indirect taxes, duties, fees, and other impositions levied under the Applicable Law, the amount of which is deemed to have been included in the Contract Price.

Termination of Agreement by the Bank:

- If the performance of the Contractor is not satisfactory this agreement can be terminated by the Bank upon giving a 30 days' advance notice in writing to the Contractor. In such event the Contractor shall refund all advance money to the Bank after adjusting the cost of work done by that date.
- If the Contractor becomes insolvent or bankrupt.
- If the Contractor, in the judgment of the Bank has engaged in corrupt or fraudulent practices in competing for or in executing the Agreement.
- If, as the result of Force Majeure, the Contractor is unable to perform a material portion of the Services for a period of not less than sixty (60) days; and
- If the Bank, in its sole discretion and for any reason whatsoever, decided to terminate this Agreement.
- If issued with two warning letter/email by the bank for unsatisfactory performance to the bidder.

Termination of Agreement by the Contractor:

- The Contractor may terminate this Agreement, by not less than (30) days' written notice to the Bank, if the Bank fails to pay any money due to the Contractor pursuant to this Agreement without Contractors fault.
- If, as the result of Force Majeure, the Contractor is unable to perform a material portion of the Services for a period of not less than sixty (60) days.

Force Majeure:

- The failure on the part of the parties to perform their obligation under the agreement will not be considered as default if such failure is the result of natural calamities, disasters and circumstances beyond the control of the

Extension of Time:

 Any period within which Party shall, pursuant to this agreement, complete any action or task, shall be extended for a period equal to the time during which such Party was unable to perform such action as a result of Force Majeure.

Good Faith:

- The Parties undertake to act in good faith with respect to each other's rights under this agreement and to adopt all reasonable measures to ensure the realization of the objectives of this agreement.

Settlement of Disputes:

- The Parties agree that the avoidance or early resolution of disputes is crucial for a smooth execution of the Agreement and the success of the assignment. The Parties shall use their best efforts to settle amicably all disputes arising out of or in connection with the Agreement or its interpretation.
- If Parties fail to amicably settle any dispute arising out of or in connection with the Agreement within (10) days of commencement of such informal negotiations, the dispute shall be referred to arbitration of two arbitrators, one to be appointed by each party, in accordance with the Arbitration Act, 1940. Venue of arbitration shall be Karachi, Pakistan and proceedings of arbitration shall be conducted in English.

Obligation of the Contractor:

- The Contractor shall perform the Services and carry out their obligations hereunder with all due diligence, efficiency and economy, in accordance with generally accepted professional standards and practices, and shall observe sound management practices, and employ appropriate technology and safe and effective equipment, machinery, materials and methods. The Contractor shall always act, in respect of any matter relating to this Agreement or to the Services, as faithful advisers to the Bank, and shall at all times support and safeguard the Bank legitimate interests in any dealing with Sub-Contractor or third Parties.
- If the obligation of warranty period are not met or delayed, the repair etc. requirement on this account will be carried out by the bank & the billed amount will be deducted from the performance security/ upcoming payment due to contractor. Risk & subsequent cost to this effect if any will be liability of the vendor and any subsequent expenses on the equipment will also be borne by the contractor.

Conflict of Interest:

 The Contractor shall hold the Bank's interests paramount, without any consideration for future work, and strictly avoid conflict with other assignments or their own corporate interests.

Confidentiality:

Except with the prior written consent of the Bank, the Contractor and the Personnel shall not at any
time communicate to any person or entity and confidential information acquired in the course of the
Services, nor shall the Contractor and the Personnel make public the recommendations formulated
in the course of, or as a result of, the Services.

INDEMNIFICATION.

- a) Contractor (the "Indemnifier") agrees that it shall indemnify, defend, and hold harmless the BANK and its parent, subsidiaries, affiliates, successors, and assigns and their respective directors, officers, employees and agents (collectively, the "Indemnities") from and against any and all liabilities, claims, suits, actions, demands, settlements, losses, judgments, costs, damages and expenses (including, without limitation, reasonable attorneys', accountants' and experts' fees) arising out of or resulting from, in whole or in part: (i) any act, error or omission, whether intentional or unintentional, by the Indemnifier or its officers, directors, employees, or sub-administrators, related to or arising out of the business covered by this Agreement, or (ii) an actual or alleged breach by the Indemnifier of any of its representations, warranties or covenants contained in this Agreement (including, without limitation, any failure of Indemnifier to comply with applicable local, state, provincial or federal regulations concerning Indemnifier's performance under this Agreement).
- b) This Article shall survive after termination of this Agreement.





ACCESS TO REGULATOR.

Contractor and THE BANK agree to provide State Bank of Pakistan necessary access to the documentation and accounting records in relation to the Renovation of Rashid Minhas Road Branch Karachi and right to conduct on - site inspection, if required.

Anti - Money Laundering.

Contractor acknowledge that they do not violate any statutory / prudential requirement on antimoney laundering or record keeping procedure as per existing laws / rules and regulations of locals as well as foreign jurisdiction."

In witnesses hereunder both the parties have set their hands on the day and year above first mentioned.

The state of the s	
Contractor Signature	Witness:
Name Vasged Khusheld	Signature
Designation Selvisol.	Name
Company Name R. R. Associate	Designation
Address	Address
Stamp Customer Signature Name Designation Company Name Sindh Bank Limited Address Federation House, Sindh Bank Ltd. Head Office, Karachi	Signature Name FALAZ APPLO Designation Company Name Sindh Bank Limited Address Federation House, Sindh Bank Ltd. Head Office Karachi
Stamp Witness:	
VV All	
Signature Payyor New S	ATTESTED
Designation Designation	Subovocare and the subovocare
Address A 135 VIII	The ships
Address Chester.	NOTARY PUBLIC NOTARY PUBLIC
Muly	NOTAK I Karachi Pakistan

FINANCIAL PROPOSAL

Annexure "A"

O IBRAHIM ADVOCATE *

Name of Bidder: R.R ASSOCIATES

S.No	Description	SQ.FT	Rate Per Sq.Ft	Amount in Rs.
1.	Renovation of Rashid Minhas Road Branch Karachi	900	1,554.1666	Rs.1,398,750/-









ZEESHAN STAMP VENDORM/S. R.R Associates Plot # 18-CAMezzanine Floor, Stadium Lane-3; Phase -V, DHA Karachi Ackteropete tout le locareste

0 3 MAY 2023

AUTEE ONE HUNDRED ONLY Dated: 23/05/17

Letter of Award

Renovation, Interior Work, Construction and Electrical Work atSindh Bank Limited "Rashid Minhas Road Branch Karachi".

This is with reference of your Tender opened dated 29/03/2023 pertaining to captioned work. We are pleased to inform you that based on your quotation the above work has been assigned to you on contract price basis, on item wise rates, with a total of Rs.1,398,750/-

Other terms & conditions would be as follows:

1. Description of Work:

- a) Civil/Interior work covering total area 900sq.ftas per the detailed drawing submitted to the bank.
- b) Electrical Works

Any change / alteration in the original plan, if required, due to site hindrance or any other reason shall be made after written approval of the bank. Electricity & water for construction activities will be provided free of charge to the contractor, by the bank.



2. Payment Schedule:

The payment will be given as per following schedule.

MODE OF PAYMENTS, CIVIL, ELECTRICAL & RENOVATION WORKS:



S.No	Payment Stages	Payment in terms of percentage	Job to be Completed	Verified By
1	1 st Running Payment 40%	On completion of 50% job.	Brick Works Plaster Strong Room/RCC work	- Admin/Area Manager
2	2 nd Running Payment 40%	On completion of 90% job.	Light/Copper Pipe/Networking/Telephone Wiring Glass Work, Kitchen, Store Cabinet Repairing Front Tiles Ramp Paint 1st Coat	Admin/Area Manager
3	Final Payment 17%	On completion of 100% job.	Shifting of Furniture, Paint, ATM PVC, Cladding	Engineer Visit/Branch Completion Certificate
4	5% Retention Money (2% Performance Security + 3% Retention Money)	On satisfactory completion for three month period, after actual completion of work	After satisfactory completion of 3 months from actual completion.	Branch/Management

The contractor has to deposit 2% retention money at the time of award of contract and 3% will be withheld at the time of final payment. The total 5% withheld amount on account of retention money /performance security will be released after 3 month of completion of tender assigned job and after due receipt of letter of satisfaction from concerned branch manager. Final Bill will be made on actual verified quantities / area.



3. Completion of Period:

The completion period of the entire work will not exceed ______, from the date of handling over SITE to the Contractor i.e.______ In case of failure to complete the job within stipulated period i.e.______, penalty @ 0.15% per day will be imposed upon contractor.

4. Commencement of Work:

The job will be commenced immediately from the date of acceptance of this Award/Letter.

Please sign & affix your company's stamp and return the same to us as a token of your acceptance immediately.

With Regards,

Faraz Ahmed Chief Engineer

Agreed & Accepted For & on behalf of

Jareel Khursteen

E RIN

NCTARY PUBLIC Karach Pakistan